26-8234

16 June 1976


MEMORANDUM FOR: Mr. Knoche
SUBJECT : Appointment, Chapter II
1. I think we are at last squared away on this. The DDO at this time has a limit on their supergrade totals. Approving appointment per the attached 25X1A memo is not tantamount to raising the limit by one; and as I previously indicated, the whole DDO supergrade structure will come up for review and approval before the Supergrade Board in the near future. 2. However, you should recommend to the DCI that in approving the appointment, the Director specify that he does so with the proviso that the grade level for this position be established by the Office of Personnel after appropriate review. It thus is made clear the DCI
is approving the man, not the grade, for the position. 3. Sources for above are 25X1A
25X1A


ČEREČERIME BEDIZIBA ENK

A LE DI GOOGLETTE OIL DEBENING FOR A GOOGLEGOOF	
	1000
Approved For Release 2003/05/15: CIA-RDP79M00467A000400050	101 KD_0
Apployed I of Release 2000/00/10. OlA-RDI Tolliou-01 A000-00000	,000-0

25)

25)





	MEMORANDUM FOR:	Director of Central Intelligence 1 1 JUN 1978			
	FROM:	William W. Wells Deputy Director for Operations			
	SUBJECT:	Appointment of as Special Assistant to the DDO for External Oversight	25X1A		
	1. The appointment of GS-17, as Special Assistant to the DDO for External Oversight, a proposed GS-17 position, effective on or about 21 June 1976, is recommended.				
2. has been an employee of the Agency since 1947, and is at present assigned as Deputy Chief, European Division, a GS-17 position. His biographic profile and two most recent fitness reports are attached. is particularly well qualified by past experience for the proposed appointment, and foreign language proficiency is not required.					
		signed, William V. Wolls	j		
		William W. Wells	1		
	Attachments: Biographic Pro Fitness Report Photograph				
	The recommendati	on in paragraph 1 is APPROVED.			
Ĺ	/s/ E. H. Director of Cent				
	DDO/PS/CM/PE/				
-	Distribution: Orig & 2 - DCI 2 - DDO		25X1		
	2 - 0100	E2, IMPDET			
		0	25X1		